

SIGNHERO

LED SIGN TUBES

← **POWER** →
SELECT

← **COLOR** →
SELECT

LOOKING FOR
INSTRUCTIONS?
SCAN THIS

6W 10W 12W


4000K 6500K

LED SIGN TUBES

Designed for speed. Built for signs.


The simplest LED solution for sign cabinets. SignHero™ is designed to bypass the ballast **completely**—removing unnecessary components and dramatically reducing installation time. With no external driver or ballast required, you can mount, connect, and power up faster than ever.

Whether new construction or retrofit, you get Keystone reliability and longevity, making sure your message stands out for the long run. That's Light Made Easy®




BYPASS THE BALLAST

Driver is built directly into the lamp via Direct Drive technology—eliminating the ballast and reducing installation time and components.



EVEN LIGHT DISTRIBUTION

For consistent illumination—Optical lenses cover each LED chip, eliminating hot spots.



LARGE VARIETY OF SIZES

From 18 to 120 inches, the widest range of lengths in the industry.

SIGNHERO

LED SIGN TUBES


THE SIMPLEST LED SOLUTION
FOR SIGN CABINETS



New-Build Construction

Sign Hero Direct Wire

Sign Hero Direct Wire is ideal for new-build construction, allowing you to add lighting to your signs quickly and easily. Simply install our available spring-loaded brackets into the sign frame, bring in line voltage, and connect to the waterproof leader cord. No special expertise required.



EASY SOCKET-FREE SETUP

Install with available brackets for a perfect fit. No rewiring required

DIRECT WIRE

Allows for easy connection to line voltage

EVEN LIGHT DISTRIBUTION

Optical lenses cover each LED chip, eliminating hot spots



Change between 3 power outputs



4000K / 5000K / 6500K

ROTATABLE BASE

Allows you to direct light where it's most needed

INTEGRATED WATERPROOF CONNECTORS

Quickly link tubes in cabinet; protects lighting even if there are gaps or leaks in housing



360°
Sign Hero Direct Wire tubes are available in 360°

CONVENIENT FOR NEW BUILDS

For cabinets less than 36" deep, space tubes 12" apart and 6" from the face of the cabinet to ensure smooth, even light distribution. Power up to 150 feet on a single feed



SCAN QR CODE to Watch install video

Retrofit Construction

Traditional Sign Hero

Traditional Sign Hero is the ideal retrofit solution. With its ballast-bypass design, compatibility isn't a concern—a Keystone driver is integrated into the lamp and the lamp is directly wired to the power source. Together, these features help save money and reduce energy use. Installation and upgrades take just minutes.

ROTATABLE BASE
Allows you to direct light where it's most needed

EVEN LIGHT DISTRIBUTION
Optical lenses cover each LED chip, eliminating hot spots

COLOR SELECT
4000K / 5000K / 6500K


LARGE HEAT SINK
Provides optimal dissipation

180° OR **360°**

180° OR 360°
Traditional Sign Hero tubes are available in both 180° and 360° options

BALLAST BYPASS
Don't worry about compatibility. Keystone DirectDrive technology eliminates the need for an external driver or ballast while still using the existing sockets

Also available in Contractor Prime
Color Select • Full range of sizes • Light distribution suitable for color-faced signs



SCAN QR CODE to
Watch install video



360° Sign Tube - Direct Wire | Color Select and Power Select

CATALOG NUMBER	NOMINAL LENGTH	SELECTABLE WATTAGE	SELECTABLE CCT	LUMENS	LUMENS PER FOOT PER SIDE	EFFICACY	CONSTRUCTION	SOCKET TYPE
KT-LED10PST8-18P2SO-8CSK-DW	18"	10W/8W/5W	4000/5000/6500K	620-1035	413-690	120 lm/W	Plastic	R17D
KT-LED12PST8-24P2SO-8CSK-DW	24"	12W/10W/6W	4000/5000/6500K	800-1380	400-690	120 lm/W	Plastic	
KT-LED15PST8-30P2SO-8CSK-DW	30"	15W/13W/7W	4000/5000/6500K	980-1840	392-736	120 lm/W	Plastic	
KT-LED18PST8-36P2SO-8CSK-DW	36"	18W/16W/9W	4000/5000/6500K	1275-2300	425-766	125 lm/W	Plastic	
KT-LED21PST8-42P2SO-8CSK-DW	42"	21W/18W/10W	4000/5000/6500K	1480-2590	422-740	125 lm/W	Plastic	
KT-LED23PST8-48P2SO-8CSK-DW	48"	23W/21W/12W	4000/5000/6500K	1690-2990	422-747	122 lm/W	Plastic	
KT-LED29PST8-60P2SO-8CSK-DW	60"	29W/26W/14W	4000/5000/6500K	2060-3740	412-935	125 lm/W	Plastic	
KT-LED32PST8-64P2SO-8CSK-DW	64"	32W/28W/16W	4000/5000/6500K	2230-3970	405-721	123 lm/W	Plastic	
KT-LED37PST8-72P2SO-8CSK-DW	72"	37W/31W/17W	4000/5000/6500K	2480-4600	413-766	125 lm/W	Plastic	
KT-LED41PST8-84P2SO-8CSK-DW	84"	41W/37W/21W	4000/5000/6500K	3030-5405	432-772	124 lm/W	Plastic	
KT-LED46PST8-96P2SO-8CSK-DW	96"	46W/42W/23W	4000/5000/6500K	3310-6095	413-761	126 lm/W	Plastic	
KT-LED50PST8-108P2SO-8CSK-DW	108"	50W/45W/25W	4000/5000/6500K	3735-6670	415-741	121 lm/W	Plastic	
KT-LED52PST8-117P2SO-8CSK-DW	117"	52W/45W/29W	4000/5000/6500K	3975-7130	407-731	124 lm/W	Plastic	
KT-LED54PST8-120P2SO-8CSK-DW	120"	54W/47W/30W	4000/5000/6500K	4090-7360	409-736	123 lm/W	Plastic	

SCAN QR CODE
to learn more



360° Sign Tube | Single and Double-Ended Power

CATALOG NUMBER	NOMINAL LENGTH	WATTAGE	SELECTABLE CCT	LUMENS	EFFICACY	CRI	SOCKET TYPE
KT-LED7T8-18P2SO-8CSK-DX2	18"	7W	4000/5000/6500K	900	129 lm/W	> 80	R17D
KT-LED10T8-24P2SO-8CSK-DX2	24"	10W	4000/5000/6500K	1200	120 lm/W		
KT-LED13T8-30P2SO-8CSK-DX2	30"	13W	4000/5000/6500K	1600	123 lm/W		
KT-LED16T8-36P2SO-8CSK-DX2	36"	16W	4000/5000/6500K	2000	125 lm/W		
KT-LED18T8-42P2SO-8CSK-DX2	42"	18W	4000/5000/6500K	2250	125 lm/W		
KT-LED21T8-48P2SO-8CSK-DX2	48"	21W	4000/5000/6500K	2600	124 lm/W		
KT-LED26T8-60P2SO-8CSK-DX2	60"	26W	4000/5000/6500K	3250	125 lm/W		
KT-LED28T8-64P2SO-8CSK-DX2	64"	28W	4000/5000/6500K	3450	123 lm/W		
KT-LED31T8-72P2SO-8CSK-DX2	72"	31W	4000/5000/6500K	4000	129 lm/W		
KT-LED37T8-84P2SO-8CSK-DX2	84"	37W	4000/5000/6500K	4700	127 lm/W		
KT-LED42T8-96P2SO-8CSK-DX2	96"	42W	4000/5000/6500K	5300	126 lm/W		
KT-LED47T8-108P2SO-8CSK-DX2	108"	47W	4000/5000/6500K	5800	123 lm/W		
KT-LED50T8-117P2SO-8CSK-DX2	117"	50W	4000/5000/6500K	6200	124 lm/W		
KT-LED52T8-120P2SO-8CSK-DX2	120"	52W	4000/5000/6500K	6400	123 lm/W		

SCAN QR CODE
to learn more



Accessories

CATALOG NUMBER	DESCRIPTION
KTSP-10KV	External surge protector; Input voltage 120 –277V; Max. peak current: 10KV; IP65 Rated
KT-SH-4L-CABLE-KIT	Cable kit for 1–4 lamp applications; designed to prevent lamp sagging for horizontal applications over 8' long; includes options for mounting via magnets or self-drilling fasteners
KT-SH-6L-CABLE-KIT	Cable kit for 1–6 lamp applications. Designed to prevent lamp sagging for horizontal applications over 8' long; Includes options for mounting via magnets or self-drilling fasteners
KT-SH-DW-MB2	Mounting bracket kit for Sign Hero Direct; includes (2) spring-loaded aluminum brackets for 90° installations
KT-SH-DW-EXT	12" extension cable for Sign Hero Direct; includes waterproof connectors on both ends for tube-to-tube connection
KT-SH-DW-LC	6' lead cable for Sign Hero Direct; includes a waterproof connector on one end for connection to power input



180° Sign Tube | Single and Double-Ended Power

CATALOG NUMBER	NOMINAL LENGTH	WATTAGE	SELECTABLE CCT	LUMENS	EFFICACY	CRI	SOCKET TYPE
KT-LED4T8-18P1SO-8CSK-DX2	18"	4W	4000/5000/6500K	480	120 lm/W	> 80	R17D
KT-LED5T8-24P1SO-8CSK-DX2	24"	5W	4000/5000/6500K	600	120 lm/W		
KT-LED7T8-30P1SO-8CSK-DX2	30"	7W	4000/5000/6500K	840	120 lm/W		
KT-LED8T8-36P1SO-8CSK-DX2	36"	8W	4000/5000/6500K	1000	125 lm/W		
KT-LED9T8-42P1SO-8CSK-DX2	42"	9W	4000/5000/6500K	1125	125 lm/W		
KT-LED11T8-48P1SO-8CSK-DX2	48"	11W	4000/5000/6500K	1340	122 lm/W		
KT-LED13T8-60P1SO-8CSK-DX2	60"	13W	4000/5000/6500K	1625	125 lm/W		
KT-LED14T8-64P1SO-8CSK-DX2	64"	14W	4000/5000/6500K	1725	123 lm/W		
KT-LED16T8-72P1SO-8CSK-DX2	72"	16W	4000/5000/6500K	2000	125 lm/W		
KT-LED19T8-84P1SO-8CSK-DX2	84"	19W	4000/5000/6500K	2350	124 lm/W		
KT-LED21T8-96P1SO-8CSK-DX2	96"	21W	4000/5000/6500K	2650	126 lm/W		
KT-LED24T8-108P1SO-8CSK-DX2	108"	24W	4000/5000/6500K	2900	121 lm/W		
KT-LED25T8-117P1SO-8CSK-DX2	117"	25W	4000/5000/6500K	3100	124 lm/W		
KT-LED26T8-120P1SO-8CSK-DX2	120"	26W	4000/5000/6500K	3200	123 lm/W		

Also available in Contractor Prime

Featuring Color Select and in a full range of sizes, suitable for color-faced signs

SCAN QR CODE
to learn more



Lighting Solutions for Every Need

A Full Portfolio

Keystone interior and exterior sign solutions include floodlights and exterior lighting for monument signs, billboards, and non-illuminated channel lettering; portable sign cabinets; area lights and bollards for illuminating parking lots and walkways; and the necessary accessories to support your goals. For any lighting solution, we're Light Made Easy®.



AREA LIGHTS



WALL PACKS



FLOODLIGHTS



POWER SUPPLIES



WALL MOUNT CYLINDERS



BOLLARDS



CANOPIES



LED KIOSKS



GAS STATION CANOPIES



VAPOR TIGHTS



CORN COBS



MULTIPURPOSE LINEAR



WALL WASHERS



SCAN QR CODE to learn more

The Keystone Difference

Our mission at Keystone is to change the way you think about lighting. We believe that lighting should be simple, hassle-free, and enjoyable. Keystone is Light Made Easy®.



**Fast
Quotes**



**Quick
Delivery**



**Trusted Brand
Since 1945**



**Free Lighting
Layouts**



**No Questions Asked
Return Policy**



**Free
Samples**

LIT-SS-SIGNHERO



LAMPS | FIXTURES | POWER SUPPLIES | CONTROLS

Keystone Technologies Philadelphia, PA 800.464.2680 keystonetech.com